



Backed all the way by a global market leader

VARTA® is powered by Johnson Controls Power Solutions, the global leader in lead-acid automotive batteries and advanced batteries for Start-Stop, hybrid and electric vehicles. In fact, our 50 manufacturing, recycling and distribution centres supply more than one third of the world's lead-acid batteries to major automakers and aftermarket retailers.

And through our innovations, we are building the advanced battery industry for hybrid and electric vehicles too: we were the first company in the world to produce lithium-ion batteries for mass-production hybrid vehicles.

Our commitment to sustainability is also evidenced by our world-class technology, manufacturing and recycling capabilities.

SINGAPORE

Johnson Controls (S) Pte Ltd
Power Solutions Asia Pacific Office
6 Changi Business Park Avenue 1
#06-21/22 UE Bizhub East
(North Tower)
Singapore 486017
Main: +65-6748-0202

AUSTRALIA

Johnson Controls Delkor Battery Corporation
887 Wellington Road, Rowville,
VIC 3178 Australia
Main : +61-3-9751-5003

JAPAN

Johnson Controls, K.K.
Yokohama Heiwa Bldg.
3-30-7 Honcho Naka-ku Yokohama
Kanagawa 231-0005 Japan
Tel: +81-(0)45-274-8401

THAILAND

Johnson Controls International (Thailand) Co., Ltd
719 KPN Tower, 8th floor, Rama 9 Road, Bangkok,
Huaykwang, Bangkok 10310
Main : +66-2794-0183

KOREA

Johnson Controls Delkor Battery Corporation
11F 330, Gangnam-daero, Gangnam-gu,
Seoul, Korea
Main : +82-(0)2-529-8975



THE BEST BATTERY CHOICE

It all starts with  **VARTA®**





WHY YOU CAN TRUST VARTA®

For over a century VARTA batteries have been sparking the rides of millions. As a trusted brand that is highly valued for its expertise, innovation, and precise production, VARTA continues to create substantial growth opportunities for your business. Offering workshops and retailers a comprehensive portfolio of superior products and services, VARTA batteries will drive your revenue and spark your profit!

PROVIDING PRECISION

Our engineers put expertise and precision into each and every VARTA battery. So when you recommend VARTA, you offer the most reliable precision technology that delivers results through best in class manufacturing quality.

MEETING EXPECTATIONS

VARTA batteries are designed through constant customer-oriented innovations. That's why the VARTA battery range offers the right technology for every application. With the new VARTA product range, you will always find the perfect match to fit the customer's needs and expectations.

GLOBALLY TRUSTED

VARTA is powered by Johnson Controls, the global leader in automotive batteries and trusted by drivers globally for over 125 years. This is why the majority of original car manufacturers rely on VARTA batteries right from the factory.




BLACK DYNAMIC - RELIABLE POWER



THE TRUSTWORTHY CHOICE

VARTA Black Dynamic is the perfect choice for conventional cars or older vehicles. Recommend VARTA Black Dynamic for the customer who wants the right balance of price and high quality.

✓	✓	✓	✓
First choice for all cars with conventional power demands	Labyrinth Lid technology for a maintenance free battery and extra safety	 PowerFrame® grid delivers reliable cold cranking power and long term performance	Engineered with the highest European standards



BLUE DYNAMIC -
EXTRA POWER

BESTSELLING AND
OUTPERFORMING



BLUE DYNAMIC

Vehicles with continued high supply of electrical consumer units are best served with VARTA Blue Dynamic. Recommend VARTA Blue Dynamic - the ideal choice for extra power and consistently high performance, with Start-Stop functionality.



Extra starting
power and
consistently high
performance

PowerFrame®
grid technology
for high starting
power and
reliable
performance

Engineered
with highest
European
standards

Suitable for cars
with multiple
accessories
by providing a
consistently high
performance for a
longer period
of time



SILVER DYNAMIC EFB -
PREMIUM POWER

SUPERIOR
WITHOUT COMPROMISE



SILVER DYNAMIC EFB

Let the supreme starting power meet the toughest energy demands without compromise. Choose VARTA Silver Dynamic EFB - the superior choice for extra power and premium performance on highly equipped cars.

Recommend an upgrade to VARTA Silver Dynamic EFB for higher than normal energy demands. Vehicles with Start-Stop engines that do not support regenerative braking are best equipped with VARTA Silver Dynamic EFB.



Up to 2x the
cycle life
compared with
a conventional
battery



Designed for
vehicles with
Start-Stop
functionality



ENHANCED
TECHNOLOGY

VARTA EFB
(Enhanced
Flooded Battery)
technology with
consistently high
performance for
highly equipped
cars



PowerFrame®
grid technology
for high starting
power and
reliable
performance



Engineered
with highest
European
standards



SPECIFICATION CHART

Type	Product Range	Model Name	Group Size	Capacity C20 (Ah)	JIS CCA (A)	L x W x H (mm)
Asian Battery Types (JIS)	Black Dynamic	20D	54087	40	350	193 x 137 x 225
		B19	34B19L (NS40ZL)	34	272	186 x 126 x 225
		NS40	42B20L (NS40ZL)	38	340	196 x 128 x 225
		NS40	42B20R (NS40ZR)	38	340	196 x 128 x 225
		B24	NS60L (40B24L)	40	310	237 x 128 x 225
		B24	NS60R (40B24R)	40	310	237 x 128 x 225
		B24	NS60LS (40B24LS)	40	310	237 x 128 x 225
		B24	NS60RS (40B24RS)	40	310	237 x 128 x 225
		B24	46B24L (NS60L)	45	325	237 x 128 x 225
		B24	46B24R (NS60R)	45	325	237 x 128 x225
		B24	46B24LS (NS60LS)	45	325	237 x 128 x 225
		B24	46B24RS (NS60RS)	45	325	237 x 128 x 225
	Blue Dynamic	GP25	55D23L	55	490	229 x 172 x 225
		GP25	75D23L	65	550	229 x 172 x 225
		GP35	75D23R	65	550	229 x 172 x 225
		GP25	80D23L	56	600	229 x 172 x 225
		GP26	50D20L	50	525	206 x 172 x 205
		GP24	55D26L (NS70L)	60	475	260 x 172 x 225
		GP24	55D26R (NS70R)	60	475	260 x 172 x 225
		GP24	75D26L (NS70L)	65	550	260 x 172 x 225
		GP24	75D26R (NS70R)	65	550	260 x 172 x 225
		GP27	75D31L	70	630	305 x 172 x 225
		GP27	75D31R	70	630	305 x 172 x 225
		GP27	95D31L (NX120-7L)	85	650	305 x 172 x 225
		GP27	95D31R (NX120-7R)	85	650	305 x 172 x 225
	Silver Dynamic EFB	NS40	M-42/60B20L	40	400	196 x 128 x 225
		NS40	M-42R/60B20R	40	400	196 x 128 x 225
		NS60	N-55/80B24L	55	500	237 x 128 x 225
		NS60	N-55R/80B24R	55	500	237 x 128 x 225
		GP35	Q-85/95D23L		620	229 x 172 x 225
		GP35	Q-85/115D23L	70	660	229 x 172 x 225
		GP25	Q-85R/115D23R	70	660	229 x 172 x 225

Type	Product Range	Model Name	Group Size	Capacity C20 (Ah)	JIS CCA (A)	L x W x H (mm)
Asian Battery Types (JIS)	Silver Dynamic EFB	GP24	S-95/130D26L	75	720	260 x 172 x 225
		GP24	S-95R/130D26R	75	720	260 x 172 x 225
		GP27	T-110/145D31L	90	820	305 x 172 x 225
		GP27	T-110R/145D31R	90	820	305 x 172 x 225
European Battery Types (EN)	Black Dynamic	LN2	55530 (DIN55)	55	525	241 x 174 x 188
		LN2R	55548 (DIN55R)	55	525	241 x 174 x 188
		LN2	56030 (DIN60)	60	525	241 x 174 x 188
		LN2R	56031 (DIN60R)	60	525	241 x 174 x 188
		LN3	56618 (DIN66)	66	500	277 x 174 x 188
		LN3R	56633 (DIN66R)	66	500	277 x 174 x 174
		LBN3	56530 (DIN65)	65	550	277 x 174 x 174
		LN5 (DIN15)	60038 (DIN100)	100	650	352 x 174 x 188
	Blue Dynamic	LBN1	54313 (DIN45)	43	430	206 x 174 x 188
		LN2	56219 (DIN62)	62	570	241 x 174 x 188
		LBN3	57539 (DIN75)	75	630	277 x 174 x 174
		LN4R (DIN125)	58039 (DIN80)	80	730	314 x 174 x 188
		LN4 (DIN125L)	59043 (DIN90)	90	800	314 x 174 x 188
		LN5 (DIN15)	60044 (DIN100)	100	800	352 x 174 x 188
		DIN155	61038 (DIN110)	110	900	393 x 174 x 188
	Silver Dynamic EFB	LN2	560901068	60	680	241 x 174 x 188
		LN3	570901076	70	760	277 x 174 x 188
		LN4	580901080	80	800	314 x 174 x 188
		LN5	595901085	95	850	352 x 174 x 188